# Contents of Volume 50 · 2003


Afifi HA, El Sayed AM: Ultrasonic properties of ENR-EPDM rubber blends 115
Aguilera J C → Rodríguez-Baeza M
Ahn K-D → Ju YM
Airoldi C, Monteiro Junior OAC: Copper adsorption and enzyme immobilization on organosilane-glutaraldehyde hybrids as support 61
Albano C → Hernández M
Aliev R → Navarro-González R
Alkan C → Mıh M
Amamoto M → Ihara E
Aras L → Mıh M
Arsov L → Buzarovska A

Baldursdóttir SG, Kjøniksen A-L, Roots J, Tønnesen HH, Nyström B: Influence of concentration and molecular weight on the photosensitized degradation of alginate in aqueous solutions 373
Blagodatskikh IB → Kabachii YA
Bogoeva-Gaceva G → Grozdanov A
Briançon S → Montasser I
Bronstein LM → Kabachii YA
Brucato V → Lamberti G
Budinski-Simendić J → Ćirić-Marjanović G
Buzarovska A, Arsov L: Comparative study of the electrochemical response of poly(alkyl thiophene) derivatives deposited on platinum and titanium electrodes 161

Castillo P → Diaz C
Çetinkaya E → Seckin T
Chen H → Morisaki Y
Chen H, Yin J: Preparation of Auto-Photosensitive Hyperbranched Co-polyimide by the Condensation of 4,4'-(Hexafluoroisopropylidene)diphthalic Anhydride and 3,3',4,4'-Benzophenonetetracarboxylic Dianhy-dride with 1,3,5-Tris(4-aminophenoxy)benzene through a Stage Addition Reaction Method 303
Chen W-C → Hsu SL-C
Cheradame H → Nguyen HA
Cho HN → Jung SH
Cho J-w → Lee BH
Christova D, Ivanova S, Ivanova G: Water-soluble temperature-responsive poly(vinyl alcohol-*co*-vinyl acetal)s 367
Chujo Y → Morisaki Y
Cimrová V → Kotva R
Ćirić-Marjanović G, Cvjetićanin N, Mentus S, Budinski-Simendić J, Krakovsky I: Electrochemical polymerization of 2-methyl-1-naphthylamine 319
Cruz-Barba LE, Manolache S, Denes F: Generation of Teflon-like layers on cellophane surfaces under atmospheric pressure non-equilibrium $SF_6$-plasma environments 381
Cvjetićanin N → Ćirić-Marjanović G

De Clercq B, Verpoort F: Atom Transfer Radical Polymerization of vinyl monomers mediated by a new class of neutral and cationic ruthenium alkylidene catalysts containing a 1,3-dimesityl-4,5-dihydroimidazol-2-ylidene and a Schiff base ligand 153
Degirmenci M → Tasdelen MA
Denes F → Cruz-Barba LE
Desbrières J → Rusu-Balaita L
Diaz C, Castillo P: Synthesis and characterization of soluble polyphosphazenes having pendent Cp* Fe(dppe) groups 123
Dimitriev OP: Interaction of polyaniline and transition metal salts: formation of macromolecular complexes 83
Dong XM, Fu RW, Zhang MQ, Zhang B, Li JR, Rong MZ: A novel sensor for organic solvent vapors based on conductive amorphous polymer composites: carbon black/poly(butyl methacrylate) 99
Dworak A, Trzebicka B, Utrata A, Wałach W: Hydrophobically modified Polyglycidol – the control of lower critical solution temperature 47

Ellzey KA, Farris RJ, Emrick T: Synthetic and Thermal Studies of Bisphenol-C containing Poly(aryletherketone)s 235
El Sayed AM → Afifi HA
Emrick T → Ellzey KA
Endo T → Takagi K
Erbil C → Kazancıoğlu E

Farris RJ → Ellzey KA
Fessi H → Montasser I
Fu RW → Dong XM

Gámez-Pérez J → Maspoch MLl
González J → Hernández M
Grozdanov A, Bogoeva-Gaceva G: Transcrystallization of maleated polypropylene in the presence of various carbon fibers 397
Guérin P → Nguyen HA
Gundogan N → Melekaslan D
Güven O → Öztop HN

Han DK → Ju YM
Hayashi T → Kitamura M
Hernández M, González J, Albano C, Ichazo M, Lovera D: Effects of Composition and Dynamic Vulcanization on the Rheological Properties of PP/NBR Blends 205
Hirano T → Yamada B
Hsu SL-C, Chen W-C, Lee P-I: A novel positive photosensitive polybenzoxazole based on a tetrahydropyranyl (THP) protected polyhydroxyamide 295
Hubbell JA → Ju YM

Ichazo M → Hernández M
Ihara E, Amamoto M, Inoue K: Anionic polymerization of methyl methacrylate in the presence of chromium carbonyl [$Cr(CO)_6$]. Effect of the new initiating systems [nBuLi/$Cr(CO)_6$ and nBuLi/$Cr(CO)_6$/tBuOK] on the polymerization behavior 213
Inoue K → Ihara E

Itoh T → Seno A
Ivanova G → Christova D
Ivanova S → Christova D

Jang Y-J, Nenov N, Klapper M, Müllen K: Organic Nanoparticles with Polypropyleneoxide Chains as Support for Metallocene Catalysts: Ethylene Homopolymerization and Ethylene/α-olefin Copolymerization 343
Jang Y-J, Nenov N, Klapper M, Müllen K: Organic Nanoparticles with Polypropyleneoxide Chains as Support for Metallocene Catalysts: Influence of the Concentration of PPO Chains on the Surface of Nanoparticles on the Catalyst Activity in Ethylene Polymerization 351
Jaung JY → Lee BH
Jørgensen M → Krebs FC
Ju YM, Ahn K-D, Kim JM, Hubbell JA, Han DK: Physical Properties and Biodegradation of Lactide-based Poly(ethylene glycol) Polymer Networks for Tissue Engineering 107
Jung JC → Kim DH
Jung SH, Suh DH, Cho HN: New electron-accepting π-conjugated polyquinoxalines with fluorene unit: synthesis and light-emitting properties 251

Kabachii YA, Kochev SY, Bronstein LM, Blagodatskikh IB, Valetsky PM: Atom Transfer Radical Polymerization with Ti(III) Halides and Alkoxides 271
Kajiyama T, Taguchi T, Kobayashi H, Kataoka K, Tanaka J: Physicochemical properties of high-molecular-weight poly(α,β-malic acid) synthesized by direct polycondensation 69
Kanakavel M → Saxena A
Karger-Kocsis J → Maspoch MLI
Kataoka K → Kajiyama T
Kazancıoğlu E, Erbil C: Synthesis and characterization of poly(*N*-isopropyl acrylamide) gels prepared by using $(NH_4)_2Ce(NO_3)_6$-Tegomer H-Si 2111 redox pair 175
Kim DH, Jung JC: Synthesis and properties of polyimides having alkyloxycarbonyl side chain 311
Kim JM → Ju YM
Kitamura M, Yamauchi T, Oka M, Hayashi T: Effects of hydrophilicity of crosslinker on membrane properties of poly(*N*-hydroxyethyl-L-glutamine) hydrogels 389
Kjøniksen A-L → Baldursdóttir SG
Klapper M → Jang Y-J
Kobayashi H → Kajiyama T
Kochev SY → Kabachii YA
Kotva R, Cimrová V, Výprachtický D: Synthesis of poly[methyl(phenyl)silanediyl] containing 1,3,4-oxadiazole electron-transporting moieties 227
Köytepe S → Seckin T
Krakovsky I → Ćirić-Marjanović G
Krebs FC, Jørgensen M: Conducting block copolymers. Towards a polymer *pn*-junction 359
Kubo M → Seno A

La Carrubba V → Lamberti G
Lamberti G, La Carrubba V, Piccarolo S, Brucato V: Orientation and Crystallinity Measurements in Film Casting Products 413
Lamberti G, Peters GWM, Schrauwen BAG: Orientation and Crystallinity Measurements in Injection Moulded Products 405
Lee BH, Jaung JY, Cho J-w, Yoon KJ: Synthesis and characterization of poly(*p*-phenylene vinylene) polymers containing the quinoxaline group 9
Lee L-T → Woo EM
Lee P-I → Hsu SL-C
Li JR → Dong XM
Lieto J → Montasser I
Likhatchev D → Navarro-González R
Lovera D → Hernández M

Manolache S → Cruz-Barba LE
Martínez-Salazar J → Vega JF
Maspoch MLI, Gámez-Pérez J, Karger-Kocsis J: Effects of Thickness, Deformation Rate and Energy Partitioning on the Work of Fracture Parameters of uPVC Films 279
Matsumi N, Nakashiba M, Ohno H: Ion conductive characteristics of boron stabilized carbanion derived from organoboron π-conjugated systems 259
Matsuzaki K → Onimura K
Melekaslan D, Gundogan N, Okay O: Elasticity of poly(acrylamide) gel beads 287
Mentus S → Ćirić-Marjanović G
Mıh M, Aras L, Alkan C: Compatibilization of Poly (2,6-dimethyl-1,4-phenylene oxide) and Poly (2,6-dichloro-1,4-phenylene oxide) with Sulfonated Polystyrene and its Na and Zn-neutralized Ionomers 191
Mondaca MA → Rivas BL
Montasser I, Fessi H, Briançon S, Lieto J: New approach of the Preparation of Nanocapsules by an Interfacial Polycondensation Reaction 169
Monteiro Junior OAC → Airoldi C
Morisaki Y, Chen H, Chujo Y: Synthesis and Properties of Novel Poly(*p*-phenylenevinylene)s Containing a Tricarbonyl(arene)chromium Unit in the Main Chain 39
Müllen K → Jang Y-J

Nakashiba M → Matsumi N
Navarro-González R, Likhatchev D, Aliev R: Gaseous Products formed by γ-Irradiation of Poly(1,4-Butylene Terephthalate), Poly-(Ethylene Terephthalate) and Poly(Ethylene 2,6-Naphthalenedicarboxylate) 77
Neira C A → Rodríguez-Baeza M
Nenov N → Jang Y-J
Nguyen HA, Cheradame H, Guérin P: Radical Polymerisation of Methylacrylate Initiation by the Azidoadamantane / Copper Bromide System 265
Ninan KN → Saxena A
Nuyken O → Tasdelen MA
Nyström B → Baldursdóttir SG

Ohno H → Matsumi N
Oishi T → Onimura K
Oka M → Kitamura M
Okay O → Melekaslan D
Onimura K, Matsuzaki K, Tsutsumi H, Oishi T: Polycondensation of Chiral 3,4-Dihydro-*N*-Substituted Succinimide and Phthalic Acid Dichloride 147

Opstal T, Verpoort F: Controlled Radical Polymerization Mediated by Cationic Arene Ruthenium Complexes 17
Öztop HN, Saraydın D, Şolpan D, Güven O: Adsorption of BSA onto radiation-crosslinked poly(AAm/HPMA/MA) terpolymers 183

Pereira ED → Rivas BL
Peters GWM → Lamberti G
Piccarolo S → Lamberti G

Rao VL → Saxena A
Rinaudo M → Rusu-Balaita L
Rivas BL, Pereira ED, Mondaca MA: Biostatic Behavior of Side Chain Charged Polycations and Polymer-Ag Complexes 327
Rodríguez-Baeza M, Neira C A, Aguilera J C: Synthesis of poly[(methylsiloxane)-*co*-(dimethylsilazene)] copolymers as precursors of ceramic materials 25
Rong MZ → Dong XM
Roots J → Baldursdóttir SG
Rusu-Balaita L, Desbrières J, Rinaudo M: Formation of a biocompatible polyelectrolyte complex: chitosan-hyaluronan complex stability 91

Sadhana R → Saxena A
Saraydın D → Öztop HN
Saxena A, Sadhana R, Rao VL, Kanakavel M, Ninan KN: Synthesis and Properties of Polyarylene ether Nitrile Copolymers 219
Schrauwen BAG → Lamberti G
Seckin T, Çetinkaya E, Köytepe S, Yiğit B: Synthesis and Properties of Polyimides from 1,3-di(*p*-dimethylaminobenzyl)-imidazolidine-2-thion 139
Seno A, Uno T, Kubo M, Itoh T: Synthesis and Polymerization of Novel Quinone Methide Ketals 1
Şolpan D → Öztop HN
Suh DH → Jung SH

Taguchi T → Kajiyama T
Takagi K, Tomita I, Endo T: Allylnickel-Catalyzed Living Coordination Polymerization of Allenes with Ester Functionality 335
Tanaka J → Kajiyama T
Tasdelen MA, Degirmenci M, Yagci Y, Nuyken O: Block Copolymers by Using Combined Controlled Radical and Radical Promoted Cationic Polymerization Methods 131
Tomita I → Takagi K
Tønnesen HH → Baldursdóttir SG
Trzebicka B → Dworak A
Tsutsumi H → Onimura K

Uno T → Seno A
Utrata A → Dworak A

Valetsky PM → Kabachii YA
Vega JF, Martínez-Salazar J: Rheological features and molecular architecture of polyethylenes 197
Verpoort F → De Clercq B
Verpoort F → Opstal T
Výprachtický D → Kotva R

Walach W → Dworak A
Woo EM, Lee L-T: A Novel Quaternary Blend System of Poly(ethylene terephthalate), Poly(trimethylene terephthalate), Poly(butylene terephthalate), and Poly(ether imide) 33

Yagci Y → Tasdelen MA
Yamada B, Hirano T: Copolymerizations of macromonomer prepared by addition-fragmentation chain transfer polymerization of methyl acrylate trimer 243
Yamaguchi I → Yamamoto T
Yamamoto T, Yamaguchi I: Enzymatic Synthesis of Poly-(quinolinol) and Its Fluorescent Aluminum Complex 55
Yamauchi T → Kitamura M Yiğit B → Seckin T
Yin J → Chen H
Yoon KJ → Lee BH

Zhang B → Dong XM
Zhang MQ → Dong XM

# Subject Index


Acrylamides 183
-, N-alkyl substituted 175
Addition-fragmentation chain transfer (AFCT) 243
Alginate, photosensitized degradation 373
Alkoxides 271
Alkyloxycarbonyl side chains 311
Allenes/ester functionality 335
Allenylidene ruthenium complexes 17
Allylnickel-catalyzed living coordination 335
Aluminum complex, poly(quinolinol) 55
2-Aminoethanol 389
2-(4-Aminophenyl)-5-(biphenyl-4-yl)-1,3,4-oxadiazole 227
Antibacterial activity 327
Arene ruthenium complexes 17
Aryl polyetsres 33
ATRP 17, 153, 271
AZAD 265
Azidoadamantane/copper bromide 265

3,3',4,4'-Benzophenonetetracarboxylic dianhydride 303
1,4-Benzoquinone methide 1
Biostatic behavior 327
2,2'-Bis-(3-amino-4-hydroxyphenyl)hexafluoropropane 295
2,7-Bis(4-benzil)-9,9'-di-n-hexylfluorene 251
2,7-Bis(phenoxyoxoacetyl)-9,9'-di-n-hexylfluorene 251
Boron stabilized carbanion 259
Bovine serum albumin 183
BSA 183
BSC 259
*tert*-Butyl-2,3-butadienoate 335

Carbomethoxy-2-propenyl ω-end group 243
Carbon black/poly(butyl methacrylate) 99
Carbon fibers, mPP 397
Catalase immobilization 61
CB 99
Cellophane, Teflon-like layers 381
Ceramic materials 25
Cesium fluoride 235
Chitosan-hyaluronan 91
Chromium carbonyl 213
Conducting block copolymers 359
Conductive composites 99
Co-polyimide, auto-photosensitive hyperbranched 303
Copper adsorption 61
Cp*Fe(dppe) fragment 123
Crystallinity 405, 413
- distribution 405
CuBr 265

1,3-Di(*p*-dimethylaminobenzyl)-imidazolidine-2-thion 139
Dialkyl-2,5-bis(4-aminophenoxy)terephthalate 311
3,3'-Diaminobenzidine 251
2,6-Dichlorobenzonitrile 219
Dichloromethyl methyl ether 227
Diethylentriamine 169
4,4'-Difluorobenzophenone 235
Dimesityl-9-anthrylborane 259
1,3-Dimesityl-4,5-dihydroimidazol-2-ylidene 17, 153
Dimethylamino monomer 139
Diphenylethene (DPE) 131
Diphenyliodonium hexafluorophosphate 131
Diphosphonic acid diethyl ester 9
DPE 131
Drug delivery system 373

Electroconductive polymers 319
Electropolymerization 319
Emeraldine base, polyaniline 83
ENR-EPDM rubber, ultrasonic properties 115
Enzyme immobilization, copper adsorption 61
EPDM 115, 205
Epoxidized natural rubber-ethylene propylene diene 115
Essential work of fracture (EWF) 279
Ethyl-2,3-butadienoate 335
Ethylene 351
- /α-olefin 343
- /propylene diene rubber 205
EWF 279

Fiber/matrix interface 397
Film casting products 413
Fischer carbene 17
Flexible side chains 311
Fluorination/dehdro-fluorination 381

GL-PEG 107
Glycidol (2,3-epoxypropanol-1) 47

4,4'-(Hexafluoroisopropylidene)diphthalic anhydride 303
2,2,4,4,6,6-Hexamethylcyclotrisilazane 25
Horner-Wadsworth-Emmons reaction 9
Horseradish peroxidase 55

Hyaluronan 91
Hydrogels 175, 287, 389
2-Hydroxypropyl methacrylate 183
Hyperbranched polymers 303

Injection moulded products 405
Insoluble polymeric contact disinfectants 327
Interfacial polycondensation 169
Ion conductive materials 259
Ionomers, neutralized 191
Isophthaloyl chloride 295
*N*-Isopropyl acrylamide 175

LDPE 197
LEDs 55, 251

MA 153, 265
Maleic acid 183
Metal-catalyzed polymerization 153
Metallocene catalysts 343, 351
- complexes 343
Methyl acrylate 153, 265
- - initiation 265
- - trimer 243
Methyl methacrylate 131, 153
- -, chromium carbonyl 213
2-Methyl-1-naphthylamine 319
Methylsiloxane 25
3-Methylthiophene 161
MMA 131, 153
-, anionic polymerization 213

Nanocapsules 169
Nanoparticles, organic 343, 351
1,2-Naphthoquinone diazide-4-sulfonate 295
Natural rubber, epoxidized 115
NBR 205
Nitrile rubber (NBR) 205

3-Octylthiophene 161
Olefin polymerization, metallocene catalyzed 351
Organoboron π-conjugated systems 259
Organometallics 123
Organosilane-glutaraldehyde hybrids 61
Oxadiazole 227

PAAm 287
PAPSA 327
PBMA 99
PBO 295
PBT 33, 77
PE 197
PEG 107
PEI 33
PEN 77
PEO 47
Peroxidase, horseradish 55
PET 33, 77
Photosensitizers 373
Phthalic acid dichloride 147
Phthaloyl chloride 169
Platinum electrode 161
PMA, α,β- 69
PMDA 311
PMPTA 327
pn-junctions 359
Poly(AAm/HPMA/MA) terpolymers, radiation-crosslinked 183
Poly(acrylamide) gel beads 287
Poly(acrylamide/2-hydroxypropyl methacrylate/maleic acid 183
Poly(2-acrylamido-2-methyl-1-propane sulfonic acid) 327
Poly(alkyl thiophene) 161
Poly(aryletherketone)s, bisphenol-C-containing 235
Poly(γ-benzyl-L-glutamate) 389
Poly(butyl methacrylate) 99
Poly(1,4-butylene terephthalate) 33, 77
Poly(2,6-dichloro-1,4-phenylene oxide) 191
Poly(2,6-dimethyl-1,4-phenylene oxide) 191
Poly(dimethylsiloxane) 175
Poly(ether imide) 33
Poly(ethyl methacrylate) 243
Poly(ethylene-2,6-naphthalenedicarboxylate) 77
Poly(ethylene glycol), lactide-based 107
Poly(ethylene oxide) 47
Poly(ethylene terephthalate) 33, 77
Poly(α-hydroxy ester)s 107
Poly(*N*-hydroxyethyl-L-glutamine) hydrogels 389
Poly(*N*-isopropyl acryamide) gels 175
Poly(α,β-maleic acid), high-molecular-weight 69
Poly[(3-methacryloylamino)propyl]trimethylammonium)chloride 327
Poly(methyl acrylate trimer) 243
Poly[methyl(phenyl)silanediyl] 227
Poly[(methylsiloxane)-co-(dimethylsilazane)] 25
Poly(octylthiophene) 161
Poly(*p*-phenylene vinylene) 9, 39, 251
Poly(quinolinol) 55
Poly(tertafluoroethylene) 381
Poly(trimethylene terephthalate) 33
Poly(vinyl alcohol-*co*-vinyl acetal)s 367
Poly(vinyl chloride), unplasticized 279
Polyaniline, transition metal salts 83
Polyarylene ether nitrile 219
Polybenzoxazole 295
Polycondensation 69, 147
-, interfacial 169
Polydispersity 197
Polyesters, γ-irradiation 77

-, thermoplastic 33
Polyether nitrile 219
Polyethylenes, chromium-based 197
Polyglycidol 47
Polyhydroxyamide, tetrahydropyranyl-protected 295
Polyimides 139
-, alkyloxycarbonyl side chain 311
Polymer-Ag complexes 327
Polymers, π-conjugated 9, 39
Polyolefins 197
Polypentafluorophenylacetylene 359
Polypeptides 389
Polyphenylacetylene 359
Polyphosphazenes, pendent Cp*Fe(dppe) groups 123
Polypropylene 205
-, iPP 413
-, maleated 397
-, orientation/crystallinity 405
Polypropylene oxide 343, 351
Polyquinoxalines, π-conjugated 251
Polysiloxane 25
Polystyrene ionomers, sulfonated 191
Polythiophene 161
PP/NBR blends 205
PPO 191, 343, 351
PPV 9, 39, 251
Proteins, separation 183
Pseudo-halide 265
PTT 33
Pulse radiolysis time resolved microwave conductivity 359
PVA 367
PVC, uPVC 279

8-Quinolinol 55
Quinone methide ketals 1

Radical polymerization, controlled 17
Radical promoted cationic polymerization 131
Resorcinol 219
Riboflavin 373
RMI 147
Ruthenium alkylidene catalysts 153

$SF_6$-plasma 381
SiglutX 61
Silazane 25
Siloxane, cyclic 25
Styrene 131, 153, 271
Succinimide, 3,4-dihydro-*N*-substituted 147
Surface contamination 327

Teflon 381
Tegomer H-Si 175
1,3,5,7-Tetramethylcyclotetrasiloxane 25
THP 295
Ti(III) halides 271
Tissue engineering 107
Titanium electrode 161
Transcrystallization 397
Transition metals 271
- - complexes 17, 39
Tricarbonyl(arene)chromium 39
Trimesitylborane 259
1,3,5-Tris(4-aminophenoxy)benzene 303

Ultrasonic technique 115
Urease immobilization 61

Vinyl monomers 17, 153
Vulcanization 205

Water-soluble synthetic polymers 367
Work of fracture 279